


BPDQ



Scheda tecnica
Data sheet




Descrizione: diffusore quadrato senza cornice in gesso di alta qualità adatto per installazione su soffitto o pareti in cartongesso. Può essere dipinto del medesimo colore della superficie su cui è installato. Connettibile con condotti in acciaio, flessibili, corrugati e a mezzo di plenum. Utilizzabile su cartongesso singolo, doppio strato o spessore variabile. Provvisto di robusti supporti magnetici in acciaio inossidabile. Alette laterali per il fissaggio nello stucco.

Description: frameless square diffuser in high quality plaster suitable for installation on plasterboard ceilings or walls. It can be painted the same color as the surface on which it is installed. Connectable with steel, flexible, corrugated ducts and plenum boxes. Can be used on single, double layer or variable thickness plasterboard. Equipped with robust magnetic supports in stainless steel. Side fins for fixing in the stucco.





DISEGNI | DRAWINGS

BPDQ 100 - 125




SERRANDA | DAMPER



PLENUM | PLENUM

PLUGBPD 100 - 125




1 Asola 7x12 | Button Hole 7x12

Plenum eseguito in lamiera zincata predisposto per attacchi superiori o laterali kit completo di 2 attacchi e 2 tappi.
Plenum box made in galvanized steel prepared for spigot upper or lateral kit complete of 2 spigots and 2 caps.




DIAGRAMMI PRESTAZIONALI | PERFORMANCE CHARTS


BPDQ 100 MANDATA ARIA | SUPPLY AIR




BPDQ 125 MANDATA ARIA | SUPPLY AIR




BPDQ 100 RIPRESA ARIA | RETURN AIR



BPDQ 125 RIPRESA ARIA | RETURN AIR



100 / 125 VELOCITÀ | VELOCITY m/s



PREZZI | PRICES

Modello Model	€
BPDQ100	
BPDQ125	
PLUGBPD100	
PLUGBPD125	

