


BPDQ




Descrizione: diffusore quadrato senza cornice in gesso di alta qualità adatto per installazione su soffitto o pareti in cartongesso. Può essere dipinto del medesimo colore della superficie su cui è installato. Connettibile con condotti in acciaio, flessibili, corrugati e a mezzo di plenum. Utilizzabile su cartongesso singolo, doppio strato o spessore variabile. Provvisto di robusti supporti magnetici in acciaio inossidabile. Alette laterali per il fissaggio nello stucco.


Description: frameless square diffuser in high quality plaster suitable for installation on plasterboard ceilings or walls. It can be painted the same colour as the surface on which it is installed. Connectable with steel, flexible, corrugated ducts and plenum boxes. Can be used on single, double layer or variable thickness plasterboard. Equipped with robust magnetic supports in stainless steel. Side fins for fixing in the stucco.



DISEGNI | DRAWINGS




SERRANDA | DAMPER



D0  No Serranda No damper	D1  1 segmento 1 segment	D2  2 segmenti 2 segments	D3  3 segmenti 3 segments
D4  4 segmenti completamente aperti 4 segments full open	D5  4 segmenti 75% aperto 4 segments 75% open	D6  4 segmenti 50% aperto 4 segments 50% open	D7  4 segmenti 25% aperto 4 segments 25% open


PLENUM | PLENUM




Plenum eseguito in lamiera zincata predisposto per attacchi superiori o laterali kit completo di 2 attacchi e 2 tappi.
Plenum box made in galvanized steel prepared for spigot upper or lateral kit complete with 2 spigots and 2 caps.

DIAGRAMMI PRESTAZIONALI | PERFORMANCE CHARTS


BPDQ 100 MANDATA ARIA | SUPPLY AIR




BPDQ 125 MANDATA ARIA | SUPPLY AIR




BPDQ 100 RIPRESA ARIA | RETURN AIR



BPDQ 125 RIPRESA ARIA | RETURN AIR



100 / 125 VELOCITÀ | VELOCITY m/s



VERSIONI DISPONIBILI | VERSIONS AVAILABLE

Modello Model
BPDQ100
BPDQ125
PLUGBPD100
PLUGBPD125

