




LEVXSVMC



Caratteristiche: diffusori lineari a singola feritoia finitura standard nero RAL 9005 opaco con deflettore, senza cornice per installazione a scomparsa a parete o soffitto. Completo di plenum per VMC (già assemblato al diffusore).

Costruzione: diffusore realizzato in alluminio verniciato nero RAL 9005 opaco con testate in plastica. Plenum in acciaio zincato con collarini VMC.

Impiego: a soffitto o parete per mandata e ripresa.

Fissaggio: staffaggio a parete o solaio mediante fori posti sul plenum. Sedi di appoggio della parete o solaio in cartongesso ricavate sul diffusore stesso.

Characteristics: linear single slot diffusers standard version matt black RAL 9005 with deflector, without frame for hidden installation, on wall or ceiling. Complete with plenum box for VMC (already assembled to the diffuser).


Finishing: diffuser made in extruded aluminium painted black RAL 9005 matt with plastic heads. Plenum box in galvanized steel with VMC spigots.

Utilization: ceiling or wall installation for air supply and return.

Fixing: bracketing on the wall or floor using holes placed on the plenum box. Support seats of the wall or floor in plasterboard made on the same diffuser.




DISEGNI | DRAWINGS




Modello Model	L	Stacchi (predisposizione) Spigots (preposition)	
	mm	N°	Ø
LEVXSVMC500	500	2 + 2	VMC PLUG
LEVXSVMC1000	1000	2 + 2	

ASSIEME DIFFUSORE PLENUM | ASSEMBLY DIFFUSER PLENUM BOX



COMPOSIZIONE KIT | KIT COMPOSITION

LEVXSVMC500




1 attacco Ø 75/90 PLUG-N | 1 spigot Ø 75/90 PLUG-N



3 tappi di chiusura | 3 sealing caps

LEVXSVMC1000



2 attacchi Ø 75/90 PLUG-N | 2 spigots Ø 75/90 PLUG-N



2 tappi di chiusura | 2 sealing caps



TABELLA DI SELEZIONE | TECHNICAL DATA

Modello Model	A _k [m²]	Q [m³/h]		L _{WA} [dB(A)]		X _(0,25) [m]		Dp _t * [Pa]	
		min	max	min	max	min	max	min	max
LEVXSVMC500	0,0045	20	50	26	35	0,5	1,5	10	30
LEVXSVMC1000	0,0089	40	100	26	35	0,5	1,5	10	30

* Con serranda completamente aperta | With calibration damper completely open.

VERSIONI DISPONIBILI | VERSIONS AVAILABLE

Modello Model
LEVXSVMC500
LEVXSVMC1000

